AMSR2 Research Product (Thin Sea Ice Detection) Validation Results

Japan Aerospace Exploration Agency (JAXA), Earth Observation Research Center (EORC)

Remote Sensing Technology Center of Japan (RESTEC)

Thin Sea Ice Detection

Algorithm developer

Kohei Cho (Tokai Univ.)

Algorithm overview

Detection of thin sea ice (up to 30-cm thickness) using 18.7 GHz V and H T_B

Validation

Comparison with MODIS TSI algorithm which detects thin sea ice using MODIS band 1 and 2 reflectance data.

Goal accuracy


`right answer rate' of 80 % or more

`right answer rate' =

The number of pixels both MODIS and AMSR2 TSI algorithms evaluated as the same kind of ice (thick ice or thin ice)

The number of pixels where sea ice concentration is more than 90%₂


Validation area




① Okhotsk Sea, ② Bering Sea, ③ Hudson Bay

Newly added as validation areas.

`Right answer rate' from 2013 to 2016 in Okhotsk Sea



[`]Right answer rate' became more than 80% in 676 out of 747 scenes,



km

Purple pixels
White pixels
Right blue frame
Black pixels
Green pixels


: Thin Sea Ice by MODIS: Thick Sea Ice by MODIS: Thin Sea Ice by AMSR2

: Open water, cloudy area


: Land

`Right answer rate' 88.3%

`Right answer rate' from 2013 to 2016 in Bering Sea



[`]Right answer rate' became more than 80% in 469 out of 569 scenes



Purple pixels White pixels Right blue frame

Black pixels

Green pixels

: Thin Sea Ice by MODIS

: Thick Sea Ice by MODIS


: Thin Sea Ice by AMSR2

: Open water, cloudy area


: Land

`Right answer rate' from 2013 to 2016 in Hudson Bay





`Right answer rate' became more than 80% in 424 out of 434 scenes



Purple pixels : Thin Sea Ice by MODIS White pixels : Thick Sea Ice by MODIS Right blue frame : Thin Sea Ice by AMSR2

Black pixels : Open water, cloudy area : Land

Green pixels

`Right answer rate' 93.7%